

VANDERBILT UNIVERSITY.

**MATH 196.**

**Summary of Homogeneous Second Order Linear ODEs with constant coefficients.**

A second order homogeneous linear differential equation with constant coefficients is of the form

$$(1) \quad Ay'' + By' + Cy = 0,$$

where  $A$ ,  $B$ , and  $C$  are constants. We can assume  $A \neq 0$ , otherwise this would be a first order equation (which we have already learned how to solve). Dividing the equation by  $A$  gives

$$(2) \quad y'' + by' + cy = 0,$$

**Remark 1.** All formulas here provided assume that the differential equation is written as in (2), i.e., with the coefficient of  $y''$  equal to one. If you are giving an equation where the coefficient of  $y''$  is not equal to one, as in (1), you have first to divide the equation by that same coefficient to write it as in (2).

From (2), write the **characteristic equation**:

$$\lambda^2 + b\lambda + c = 0,$$

whose roots are given by

$$\lambda_1 = \frac{-b + \sqrt{b^2 - 4c}}{2}$$

$$\lambda_2 = \frac{-b - \sqrt{b^2 - 4c}}{2}$$

There are three possible cases.

CASE 1:  $\lambda_1$  and  $\lambda_2$  are **real and distinct**.

In this case, the functions  $y_1 = e^{\lambda_1 x}$  and  $y_2 = e^{\lambda_2 x}$  are two linearly independent solutions of the differential equation (2), and the general solution is

$$y = c_1 e^{\lambda_1 x} + c_2 e^{\lambda_2 x}.$$

CASE 2:  $\lambda_1$  and  $\lambda_2$  are **real and equal**.

Write  $\lambda_1 = \lambda_2 = \lambda$ . In this case, the functions  $y_1 = e^{\lambda x}$  and  $y_2 = x e^{\lambda x}$  are two linearly independent solutions of the differential equation (2), and the general solution is

$$y = c_1 e^{\lambda x} + c_2 x e^{\lambda x}.$$

CASE 3:  $\lambda_1$  and  $\lambda_2$  are **complex imaginary solutions**.

In this case, write  $\lambda_1 = \alpha + i\beta$  and  $\lambda_2 = \alpha - i\beta$ , where  $\alpha$  and  $\beta$  are *real numbers*. The functions  $y_1 = e^{\alpha x} \cos(\beta x)$  and  $y_2 = e^{\alpha x} \sin(\beta x)$  are two linearly independent solutions of the differential equation (2), and the general solution is

$$y = c_1 e^{\alpha x} \cos(\beta x) + c_2 e^{\alpha x} \sin(\beta x).$$